



Agro-met Advisory Service bulletin for the District

Purba Medinipur

(Period to 13th January to 17th January, 2018)

Issued jointly by GKMS, Kakdwip, BCKV and IMD



Bulletin No.:04/2018

Date: 12th January, 2018

Weather for last three days (9th January to 11th January, 2018)

	09/01/18	10/01/18	11/01/18
Rainfall (mm)	0.0	0.0	0.0
Maximum Temperature (°C)	23.0	24.0	25.0
Minimum Temperature (°C)	11.0	11.0	11.0
Relative Humidity (%)	63	75	78
Wind Speed (Km ph)			

Weather for the preceding week (5th January to 11th January, 2018)

Rainfall (mm)	0.0
Maximum Temperature (°C)	22.0-24.0
Minimum Temperature (°C)	11.0
Relative Humidity (%)	59-90
Wind Speed (Km ph)	

Weather forecast for next five days (13th January to 17th January, 2018)

- No rainfall is predicted in the next five days.
- Sky will be clear in the next five days.
- Wind speed will be 5-9 km/hr. and the predominant wind direction will be Southeasterly to Northerly.
- Maximum temperature is expected to be around 25.0^oC-26.0^oC and minimum temperature is likely to be around 11.0^oC-13.0^oC.
- Maximum and minimum relative humidity will be in the range of 49% -93% and 25% -40%.

Weather based Agro-Advisories

Crop	Stage	Disease pest	Advisory
Boro paddy			--Prepare main field by proper ploughing and removing all the weeds and transplanting start within 2-3 days --Apply basal fertilizer viz.urea@9kg/bigha , SSp@54kg/bigha and MOP@11kg/bigha --Start transplanting in the main field
Sunflower			--Where proper moisture level in the field is ok there complete the sowing
Potato	vegetative	Chance of late blight attack due to foggy weather	--Apply first top dressing by urea and potash only through the furrow --Irrigation should be given only through furrow by filing 2/3 rd of the furrow --Before irrigation one earthing up should be done --As a precaution measure for late blight apply Di-ethane M-45@2.5g/liter of water
Poultry	Layers and growers	Effect of extreme low temperature	--Make cover by straw over roof of poultry house --Precaution should be taken immediately otherwise if the birds already attack by coil no recovery cannot be done --Apply warm water and only dry food to the birds --Properly arrange the electric bulb inside the cages