



**Agro-met Advisory Service bulletin for the District  
Purba Medinipur  
(Period 25<sup>th</sup> November to 29<sup>th</sup> November, 2017)  
Issued jointly by GKMS, Kakdwip, BCKV and IMD**



**Bulletin No.: 86/2017**

**Date: 24<sup>th</sup> November, 2017**

**Weather for last three days (21<sup>st</sup> November to 23<sup>rd</sup> November 2017)**

	21/11/17	22/11/17	23/11/17
Rainfall (mm)	0.0	0.0	0.0
Maximum Temperature ( °C )	27.0	28.0	29.0
Minimum Temperature ( °C )	15.0	18.0	21.0
Relative Humidity ( % )	70	74	75
Wind Speed ( Km ph )			

**Weather for the preceding week (17<sup>th</sup> November to 23<sup>rd</sup> November, 2017)**

Rainfall (mm)	9.4
Maximum Temperature (°C)	23.0-29.0
Minimum Temperature (°C)	15.0-23.0
Relative Humidity ( % )	70-98
Wind Speed ( Km ph )	

**Weather forecast for next five days (25<sup>th</sup> November to 29<sup>th</sup> November , 2017)**

- No rainfall is predicted in the next five days.
- Sky will be partly cloudy on 28<sup>th</sup> November and mainly clear in the remaining days.
- Wind speed will be 9-12 km/hr. and the predominant wind direction will be Northerly.
- Maximum temperature is expected to be around 27.0<sup>o</sup>C-29.0<sup>o</sup>C and minimum temperature is likely to be around 16.0<sup>o</sup>C-17.0<sup>o</sup>C.
- Maximum and minimum relative humidity will be in the range of 54% -56% and 32%-35%.

**Weather based Agro-Advisories**

Crop	Stage	Disease pest	Advisory
Aman paddy (long duration)	Going to mature	Rodent attack	--Control the rodent with zinc phosphate tablet --Complete harvesting for sundrying --Where paira crop damaged by rainfall of previous week, if possible re-sowing should be done
Mustard			--Select some early variety of mustard for sowing like agrani, panchali, b-9etc. --if moisture level in the field is proper then sow the seeds @800-900g/bigha --Before seed sowing apply Azophos@2kg/bigha with compost as field preparation --Before sowing treat the seeds with thirum@3g/kg of seed
Potato			--Prepare land in harvested paddy field for early variety of potato like Kufri Jyoti, kufri lalima, kufri anand, kufri chipsona, Ashoka etc. --Select seed with at least 2-3eye per seed tuber and with 20 g wt. --Seed should be collect from certified agency --Seed should be treated properly by Methoxy Methyl Mercuric Chloride
Cattle			--Cover the Northern side of Cowshed by straw or jute bag --Feed them properly during noon time --Calf should be covered by jute bag during night time
Poultry			--Arrange more number of chicks per cage --Arrange electric bulb whole day in the cages of new born chicks