



Agro-met Advisory Service bulletin for the District

South 24 Parganas

(Period 25th November to 29th November, 2017)

Issued jointly by GKMS, Kakdwip, BCKV and IMD



Bulletin No.: 86/2017

Date: 24th November, 2017

Weather for last three days (21st November to 23rd November 2017)

	21/11/17	22/11/17	23/11/17	
Rainfall (mm)	0.0	0.0	0.0	
Maximum Temperature (°C)	32.5	32.0	31.5	
Minimum Temperature (°C)	20.5	20.0	15.5	
Relative Humidity (%)	91	96	90	
Wind Speed (Km ph)				

Weather for the preceding week (17th November to 23rd November, 2017)

Rainfall (mm)	14.2
Maximum Temperature (°C)	28.5-32.5
Minimum Temperature (°C)	15.5-20.5
Relative Humidity (%)	90-96
Wind Speed (Km ph)	

Weather forecast for next five days (25th November to 29th November , 2017)

- No rainfall is predicted in the next five days.
- Sky will be mainly clear in the next five days.
- Wind speed will be 6-9 km/hr. and the predominant wind direction will be Northerly.
- Maximum temperature is expected to be around 27.0⁰C-28.0⁰C and minimum temperature is likely to be around 16.0⁰C-17.0⁰C.
- Maximum and minimum relative humidity will be in the range of 54% -62% and 31%-37%.

Weather based Agro-Advisories

Crop	Stage	Disease pest	Advisory
Aman paddy (long duration)	Going to mature	Rodent attack	--Control the rodent with zinc phosphate tablet --Complete harvesting for sundrying --Where paira crop damaged by rainfall of previous week, if possible re-sowing should be done
Mustard			--Select some early variety of mustard for sowing like agrani, panchali, b-9etc. --if moisture level in the field is proper then sow the seeds @800-900g/bigha --Before seed sowing apply Azophos@2kg/bigha with compost as field preparation --Before sowing treat the seeds with thirum@3g/kg of seed
Potato			--Prepare land in harvested paddy field for early variety of potato like Kufri Jyoti, kufri lalima, kufri anand, kufri chipsona, Ashoka etc. --Select seed with at least 2-3eye per seed tuber and with 20 g wt. --Seed should be collect from certified agency --Seed should be treated properly by Methoxy Methyl Mercuric Chloride
Cattle			--Cover the Northern side of Cowshed by straw or jute bag --Feed them properly during noon time --Calf should be covered by jute bag during night time
Poultry			--Arrange more number of chicks per cage --Arrange electric bulb whole day in the cages of new born chicks