

BIDHAN CHANDRA KRISHI VISWAVIDYALAYA
FACULTY OF AGRICULTURE

Prof. (Dr.) Amitava Basu

Mohanpur, Dist. Nadia, 741252, West

Head,
Department of Plant Pathology



Phone: (953473) 222-269/222-270 (O)
098314097371 (M)

E-mail: headplpathbckv@gmail.com

Ref. No. PP/343/17-18


Date: 28/02/2018

Sealed quotation are invited from experienced vendor for up gradation of UG/PG Practical class room(damaged), on or before 09/03/2018 at 3:00pm from the date of issue of this notification. The quotation should be submitted to the Head, Department of Plant Pathology

Necessary works to be done as per following guidelines.

Repairing of Aluminium sliding window including cost of glass

1. Supplying fitting/ fixing 2 track/3 track aluminum sliding window of all Al. sections (top bottom side members of 1.5mm minimum thick) top bottom & side & inter lock members 10-12 micron anodizing film of natural white –including all accessories EPDM-gaskets maruti lock screws etc including all labor charges –complete
2. Repairing of electrical line
3. Replacement of two no. of laboratory sink.


28/02/18
Head
Dept. of Plant Pathology
BCKV, Mohanpur-741252

(Head)

Department of Plant Pathology