

BIDHAN CHANDRA KRISHI VISWAVIDYALAYA
FACULTY OF AGRICULTURE

Prof. (Dr.) Amitava Basu

Mohanpur, Dist. Nadia, 741252, West

Head,
Department of Plant Pathology



Phone: (953473) 222-269/222-270 (O)
098314097371 (M)

E-mail: headplpathbckv@gmail.com

Ref. No. PP/344/17-18


Date: 28/02/2018

Sealed quotation are invited from experienced vendor for up gradation of UG/PG Practical class room(damaged), on or before 09/03/2018 at 3:00pm from the date of issue of this notification. The quotation should be submitted to the Head, Department of Plant Pathology

Necessary works to be done as per following guidelines.

Necessary wall repairing including painting

1. Cleaning wall ceiling by scraping, sand papering & smothering down the surface to receive acrylic paint /putty as per direction complete
2. Rendering the surface of wall ceiling with white cement based putty of approved brand (1.5mm+4m)
3. Applying interior grade acrylic primer of approved quality to receive acrylic paint including preparing the surface as directed 1 coat water based acrylic primer (Berger/Asian paints /ICI make)
4. Applying acrylic emulsion paint including sand papering in intermediate coats –complete Berger/Asian /ICI make as desired by EIC. for luxury quality.


28/02/18
Head,
Dept. of Plant Pathology
BCKV., Mohanpur-741252

(Head)

Department of Plant Pathology