

Agro-met Advisory Service bulletin for the District South 24 Parganas (Period to 16thJune to 20th June,2018) Issued jointly by GKMS, Kakdwip, BCKV and IMD



Bulletin No.:48/2018						
Weather for last four days (12						
12/06/18	13/06/18	14/06/18				
28.7	19.5	0.0				
34.0	34.0	34.5				
26.5	25.5	28.0				
85	85	79				
0	0	1				
Weather for the preceding week (8 th June to 14 th June, 2018)						
Rainfall (mm)			105.1			
Maximum Temperature (°C)			33.5-35.0			
Minimum Temperature (°C)			26.0-28.0			
Relative Humidity (%)			78-89			
Wind Speed (Km ph)			0-1			
	12/06/18 28.7 34.0 26.5 85 0 e preceding v C) C) C)	four days (12 th June to 14 th 12/06/18 13/06/18 28.7 19.5 34.0 34.0 26.5 25.5 85 85 0 0 e preceding week (8 th June C)	$\begin{array}{c c c c c c c c c c c c c c c c c c c $			

Weather forecast for next five days (16thJune to 20th June,2018)

- \blacktriangleright Light rainfall is predicted on 20th June but no rainfall is predicted in the remaining days.
- Sky will be partly to mainly cloudy in the next five days.
- ➤ Wind speed will be 4-17 km/hr. and the predominant wind direction will be Southwesterly to Westerly.
- \blacktriangleright Maximum temperature is expected to be around 37.0°C -38.0°C and minimum temperature is likely to be around 28.0° C-29.0°C.
- ➤ Maximum and minimum relative humidity will be in the range of 62% -80% and 19% -32%.

Weather based Agro-Advisories

Crop	Stage	Disease pest	Advisory			
Dry seeded	Complete sowing of	of dry seeded long duration paddy after proper tillage operation like ploughing,				
paddy	weeding etc.					
	Before sowing seed	d should be treated by Diethane M-45 properly				
Betel vine	Green leaf	Phytopthora	root	For Phytopthora root rot apply 1% Bordeaux		
	stage	rot and chital		mixture at the base at 1 month interval		
		disease		For Chitla apply 0.5% Bordeaux mixture at 15-20		
				days interval		
				Check air movement in the cultivated water		
Cattle	Worm infection	Immediate complete the vaccination before rain				
	due to hot and	Avoid grazing during mid-noon and afternoon hours				
	humid weather	 For better milk production keep the cowshed clean with slanting floor and arrange fan in the cowshed Follow proper vaccination worm infection of grazing cattle 				
	Feed them large amount of water with molasses and common s			t of water with molasses and common sault		
Poultry	Layer and grower	Increase more number of water pot with fresh tap water per cage				
		Use electric fan inside the cage				
		Use electrolyte and vitamin C in drinking water				

Moderate agriculture vigor is found from NDVI data and mild dry condition is observed from SPI data in the Southern part of West Bengal