11/26/21, 11:18 AM District Advisory



## Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin

West Bengal University of Animal & Fishery Sciences Khudiram Bose Sarani, Kolkata



# **Agromet Advisory Bulletin**

Date: 26-11-2021

Weather Forecast of 24-PARAGANAS-NORTH(West Bengal) Issued On: 2021-11-26(Valid Till 08:30 IST of the next 5 days)

Parameter	2021-11-27	2021-11-28	2021-11-29	2021-11-30	2021-12-01
Rainfall(mm)	0	0	0	0	0
Tmax(°C)	29.3	29.5	29.0	28.6	28.6
Tmin(°C)	15.8	14.3	14.3	13.7	13.8
RH-I(%)	58	59	55	58	58
RH-II(%)	35	34	31	32	32
Wind Speed(kmph)	8.5	12.1	12.9	11.7	12.1
Wind Direction(Degree)	68	34	338	338	315
Cloud Cover(Octa)	0	5	7	5	8

#### **Weather Summary/Alert:**

Mainly cloudy sky is expected during next five days. No rainfall is expected during next five days. Wind flow mainly from E and NE direction and expected speed may be 08 - 13 km/hrs. Maximum relative humidity is expected to be around 55% - 59% and minimum RH is expected to be around 31% - 35%. Maximum temperature is expected to be around 29 - 30 deg C and Minimum temperature is expected to be around 14 - 16 deg C.

### **General Advisory:**

11/26/21, 11:18 AM District Advisory

To control tomato fruit borer use 3-4 pheromone trap per acre. For weather updates use 'Meghdoot' application and for Lightning alert updates use 'Damini' application.

## **SMS Advisory:**

Before cultivation of winter vegetables proper seed treatment should be required. Treatment should be done with Trichoderma viride @ 5 gm/lt. of water or, Mancozeb 75% W.P. @ 2.5 gm/lt. of water.

## **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory
	For bacterial blight disease of rice, spray Streptocycline (9:1 S.P.) {Market name antibac} @ 0.1 gm / lit. of water.

## **Horticulture Specific Advisory:**

Horticulture(Varieties)	Horticulture Specific Advisory	
TOMATO	To control tomato jassid you may use 6 nos. of yellow sticky trap per acre.	

### **Fishieries Specific Advisory:**

Fishieries(Varieties)	Fishieries Specific Advisory
COMMON FISH	To protect the common fishes from various types of disease like fins rot, tail rot etc. apply 10-12 kg common salt mixed with water/bigha of pond in 15 days interval and apply 5-7 kg lime/bigha/month.

## **Poultry Specific Advisory:**

<b>Poultry(Varieties)</b>	Poultry Specific Advisory
BIRD	To protect the chicks from cold injury you should take care the chicks. To maintain the temperature in brooder room keep electric bulb or any other light source in that place.

11/26/21, 11:18 AM District Advisory