

## Gramin Krishi Mausam Sewa

District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya Mohanpur, Dist- Nadia, West Bengal



# **Agromet Advisory Bulletin**

Date: 13-05-2022

Weather Forecast of 24-PARAGANAS-SOUTH(West Bengal) Issued On: 2022-05-13(Valid Till 08:30 IST of the next 5 days)

Parameter	2022-05-14	2022-05-15	2022-05-16	2022-05-17	2022-05-18
Rainfall(mm)	0.0	0.0	0.0	1.0	2.0
Tmax(°C)	34.0	35.0	35.0	35.0	35.0
Tmin(°C)	29.0	28.0	29.0	29.0	28.0
RH-I(%)	82	83	84	85	84
RH-II(%)	63	64	63	62	61
Wind Speed(kmph)	34.1	32.3	29.9	29.6	28.5
Wind Direction(Degree)	202	202	201	201	202
Cloud cover(octa)	3	3	4	3	5

### Weather Summary/Alert:

Light rainfall predicted on 17th and 18th May • Sky will be mainly clear in next 5 days . • Wind speed will be 26.9-34.1 km/hr and the predominant wind direction will be Southerly to Southwesterly . • Maximum temperature is expected to be around 34.0-35.0 degree and minimum temperature is likely to be 28.0-29.0 degree. • Maximum and minimum relative humidity will be in the range of 82-85% and 61-64%

### **General Advisory:**

As per ERFs large excess rainfall was recorded from 28.04.22 to 11.05.22. Based on MME forecast in next two week from 13.05.22 to 26.05.22 above normal rainfall is forecasted Based on MME forecast Tmax will be above normal in Week 1 and 2. and for Tmin, it will show positive anomaly in Week 1 and week 2.

## **SMS Advisory:**

As maximum temp is forecasted to increase above normal follow deep summer ploughing to kill the larvae or pupa of soil borne pest for next season.

### **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory
RICE	Boro paddy • Deep summer ploughing should be done in harvested boro paddy field to destroy eggs and pupa of insects • Sow green manuring crop like cluster bean, daincha etc after harvesting of boro paddy in order to fertilize the field and conserve moisture in soil

# **Horticulture Specific Advisory:**

Horticulture(Varieties)	Horticulture Specific Advisory		
BRINJAL	Summer vegetables Okra, brinjal, tomato Fruiting • Shoot and fruit borer attack • To control shoot and fruit borer collect the affected fruits and buried into the soil • If infestation found high then spray Spinosad 48EC @1ml/lite of water.		
BETELVINE	• Betel vine • Growing leaf stage. • Togra or Foska disease due to hot and humid weather. • Spray water with sprayer during morning for avoiding dump condition within the garden. • Apply any fungicide after water spray. • Keep the surroundings tightly.		
MANGO	Mango, Guava • Mango: Fruits going to mature • Follow fertilizer application with Orgnaic manure and urea at frui bearing plants, next fertilizer application should be done after monsoon. Guava • Flowering stage complete. • For getting good quality of fruit during winter season stop irrigation and pulverize the soil of the garden. • After dropping of flower, tender fruit and some leaves again follow proper fertilizer application and irrigation.		

# **Live Stock Specific Advisory:**

Live Stock(Varieties)	Live Stock Specific Advisory
COW	• Cattle • At all stages • Heat stress • Now temperature is increasing • Feed the cattle at morning and evening time • Avoid mung mash and mustard cake in their food and supply arhar or black gram mash and sesame or linseed cake • Increase water intake by keeping stored water near feeding bucket (80liter water/300-400kg body wt.) • Feed them a mixture of water (15liter)+molasses (250g)+basan (500g)+salt (50g) and sodium carbonate(50g) per cow during noon hours for avoiding high temperature

# **Poultry Specific Advisory:**

Poultry(Varieties)	Poultry Specific Advisory
	• Poultry • Layers • Poor quality of egg • Use cool tap water for drinking purpose • Add minerals with drinking water • Cover the window of farm with wet jute bag