4/11/23, 3:11 PM District Advisory



## Gramin Krishi Mausam Sewa District Level Agromet Advisory Bulletin Bidhan Chandra Krishi Viswavidyalaya



Mohanpur, Dist- Nadia, West Bengal

# **Agromet Advisory Bulletin**

Date: 11-04-2023

Weather Forecast of District HOWRAH(West Bengal) Issued On: 2023-04-11(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-04-12	2023-04-13	2023-04-14	2023-04-15	2023-04-16
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	39.0	39.0	39.0	40.0	39.0
Tmin(°C)	26.0	25.0	26.0	27.0	27.0
RH-I(%)	54	51	41	41	51
RH-II(%)	9	7	7	8	10
Wind Speed(kmph)	12	15	14	12	17
Wind Direction(Degree)	165	270	214	214	212
Cloud Cover(Octa)	0	0	1	0	0

## **Weather Summary/Alert:**

No rainfall is likely to occur during next few days. Partly cloudy to clear sky is expected on next few days. Wind speed is expected to be 12-17 km / hour. Max. RH is expected to be 41% to 54%. Minimum RH is expected to be 7%-10%. Maximum temperature is expected to be around 39.0-40.0 deg C and minimum temperature is expected to be around 25.0-27.0 deg C.

## **General Advisory:**

Mainly dry weather is likely to prevail over the districts of West Bengal during 10-15 April, 2023. Max temp is now above normal by 1-3 deg C over the region and expected to rise by 2-3 deg C during next 5 days. Avoid prolonged heat exposure. Cover the head with a cloth, hat or umbrella and drink sufficient water at the time of field work.

## **SMS Advisory:**

Spraying, fertilizer application, harvesting etc may be done in the coming week as no rainfall is predicted.

### **Crop Specific Advisory:**

Crop(Varieties)	Crop Specific Advisory
	Tillering to Panicle Initiation stage: Maintain a thin film of water(2-3mm)always from now upto grainfilling stage. Apply 33 Kg urea+12Kg Muriate of Potash as 2nd top dressing. To control stem borer apply light trap. In case of urgency apply Phosphamidon1.5 ml/lt. of water. To control sheath blight and blast incidence apply propiconazole 1ml/lt. of water 2 times at 10 days interval and carbendazim @2 g/lt water respectively.

#### **Horticulture Specific Advisory:**

Horticulture(Varieties)	Horticulture Specific Advisory		
	Fruit setting stage: to control fruit drop and increase fruit size in mango plant, proper fertilizer management, optimum soil moisture condition and timely		

4/11/23, 3:11 PM District Advisory

Horticulture(Varieties)	Horticulture Specific Advisory			
	application of pesticide, fungicide and hormones should be carefully maintained			
	Fertilize the tree with a fertilizer that has a higher P & K ratio. Too much nitrogen			
	will damage flowers and fruits. Organic compost at frequent interval will be			
	beneficial for mango tree. Maintaining sufficient soil moisture prevents fruit drop			
	and helps in increasing the size of the fruit .Fruit drop in mango can be controlled			
	by applying hormones. A spray of hormones on blooms ensures fruit setting.			
	Naphthalene Acetic Acid (NAA) and Gibberellic acid are effective for improving			
	fruit retention, increase fruit set, fruit weight and yield.			