



Agromet Advisory Bulletin

Date : 09-05-2023

Weather Forecast of District 24-PARAGANAS-SOUTH(West Bengal) Issued On : 2023-05-09(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-05-10	2023-05-11	2023-05-12	2023-05-13	2023-05-14
Rainfall(mm)	0.0	0.0	0.0	0.0	2.0
Tmax(°C)	38.0	38.0	37.0	36.0	37.0
Tmin(°C)	29.0	29.0	28.0	28.0	27.0
RH-I(%)	68	81	82	82	65
RH-II(%)	26	41	49	42	44
Wind Speed(kmph)	22	23	19	16	14
Wind Direction(Degree)	216	202	202	169	135
Cloud Cover(Octa)	2	3	7	8	8

Weather Summary/Alert:

Light rainfall is predicted on 14th May. • Sky will be mainly clear on next 2 days and mainly cloudy to ovarcast in the remaining days . • Wind speed will be 16-24 km/hr and the predominant wind direction will be Southeasterly to Southwesterly . • Maximum temperature is expected to be around 36.0-38.0 degree and minimum temperature is likely to be 28.0-29.0 degree. • Maximum and minimum relative humidity will be in the range of 65-82% and 26-49%

General Advisory:

A low pressure area has formed over Southeast Bay of Bengal and adjoining South Andaman Sea at 0830 hrs IST on 8th May 2023. It is likely to intensify into a depression on 9th May over the same region and further into a cyclonic storm over southeast Bay of Bengal and adjoining areas of Eastcentral Bay of Bengal and Andaman Sea on 10th May. It is likely to move initially north-northwestwards till 11th May. Thereafter, it is likely to recurve gradually and move north-northeastwards towards Bangladesh-Myanmar coasts.

SMS Advisory:

As cyclone alert is there complete harvesting of boro paddy immediately, harvest mostly mature cucurbits and bind tightly the betel vine garden.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
	Boro paddy • Complete sundrying, threshing of harvested boro paddy immediately Green manure • Follow the practice of deep summer ploughing in harvested boro paddy field • Collect the seed of dhaincha and sow the seed @3-4kg/bigha • Prepare land by deep

Crop(Varieties)	Crop Specific Advisory				
	Ploughing for cultivation of direct seeded paddy and collect the seeds from certified agencyAs cyclone alert is there immediate complete harvesting within 11th May.				
GREEN GRAM	Mung Second flowering stage Spodoptera attack and leaf eating caterpillar attack • Complete the picking of mature pod of first flowering • For leaf eating caterpillar attack spray compound pesticide Cypermethryn+propenophos (profex super) @1.5ml/liter of water • For spodoptera attack spray B.T. @1g/liter of water or Spinosad @ 1.5ml/liter of water at afternoon hours • Plucking should be done during late afternoon hours or early morning hours. • As cyclone alert is there immediate complete plucking as much as possible within 11th May.				

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory			
MANGO	Mango, Guava, citrus fruiting Fruit fly attack due to increased temperature • Pheromon trap for fly attack • Bend the branch of guava at ground level for better fruiting • To prevent fruit drop of citrus spray 10ppm solution of 2,4D • To prevent fruit drop of mango spray 15ppm NAA • As cyclone alert is there immediate complete harvesting of mostly mature mango, guava, litchi within 3-4 days.			